












SERVICE AIDS



COLOR TV SERVICE AIDS

RCA COLOR TV HARNESSES & SOCKETS FOR SERVICE & REPLACEMENT

Part No.	Description	Net
9436	ADAPTER SOCKET Converts 23" & 25" CRT Base to 21" type for use with current test equipment. RCA No. 937848; Admiral No. BP196.	3.50
9437	UNIVERSAL KINESCOPE SOCKET EXTENSION CABLE —fits all 21", 23" and 25" round and rectangular CRT. 48" leads. RCA No. 13B111 and 937846; Admiral No. BP191.	7.50
9438	KINESCOPE EXTENSION SOCKET —48" leads—converts a 23" or 25" CRT base to 21" type for use with current test equipment. RCA No. 13B111 and 937847; Admiral No. BP190.	8.95
9439	KINESCOPE SOCKET EXTENSION CABLE . For all 21AXP or equivalent round picture tubes. Extends kinescope socket cable for chassis removal when servicing, or use with color test tube jig. Admiral No. BP192.	4.95
9441	REPLACEMENT SOCKET & LEADS . For 21" color tubes—24" leads.	2.25
9443	REPLACEMENT SOCKET & LEADS . For 23" and 25" color tubes—24" leads.	2.25
9447	DEFLECTION YOKE EXTENSION CABLE . For 21" color tubes—48" leads. Use with all 21AXP22 or equivalent tubes. Extends yoke cable for servicing chassis without removing picture tube.	4.85
9448	DEFLECTION YOKE EXTENSION CABLE . 48" leads extend yoke cable when chassis is removed for servicing. For 23" or 25" picture tubes. Male octal plug one end, push-on connectors on other end for connecting to deflection yoke, or test jig.	1.95
9453	ANODE EXTENSION . High voltage extension cable with 48" leads for use when TV chassis is removed from set for servicing.	1.95
9445	CONVERGENCE MAGNET DEFLECTION YOKE EXTENSION . For RCA, Admiral, Motorola, Zenith. Extension leads for chassis removal without removing picture tube. For RCA CTC7 to CTC15 chassis. Deflection yoke extension for RCA 600 & 700 series.	4.95

GC DEGAUSSING COIL PROFESSIONAL MODEL

Eliminates stray magnetic fields in color TV sets as required prior to purity adjustment. Durable, molded hi-impact case. Supplied with 9' cord, momentary push-button switch which permits de-energizing of coil without pulling plug. Safe, easy to use; will last a lifetime.
Cat. No. 9317 Net 19.95

7" DEGAUSSING COIL IN-THE-HOME MODEL

For the home or serviceman. Molded of hi-impact plastic with momentary push-button switch, this coil will easily fit into tube caddy or will hang on the back of TV set. Low cost...easy resale to TV set owner.
Cat. No. 2592 Net 5.95

GC SERVICE AIDS

SLAB TYPE CLUTCH-HEAD SCREWDRIVERS

The only tools for servicing the Admiral Tilt-Out Tuner TV sets. Two sizes are available. A must for working on Color TV sets.
Cat. No. 12-015 for No. 6 clutch-head screws Net 1.95
Cat. No. 12-016 for No. 8 clutch-head screws Net 1.95



WALSCO SPECIAL TOOLS



GC TV 3-WAY ANTENNA KLIP

Buy them by the bag and have clips ready to sell and ready to install on TV sets.
Cat. No. 9015-X bag of 10 Net 1.63

"QUICK SNAP" ANTENNA CLIP

New side clip allows fast connecting with antenna lines; ideal for the service bench. Accepts A-N-P, Pin, and flat terminal type lines.
Cat. No. 9030 bag of 2 clips Net .49

GC 3-STEP TAP

Three-in-1 tool for tapping or rethreading holes. 3 most popular tap sizes: 6/32, 8/32 and 10/32. Heavy plastic handle.
Cat. No. 8871 G.C. 2574 Walsco Net 3.75

REACH-ALL PEN OILER

Precision instrument oiler. Features extending and retracting tube. Disposes a drop or fraction of a drop of high quality oil.
Cat. No. 984 Net .99

WRITE FOR CATALOG #FR-69 FOR COMPLETE LISTINGS



ALIGNMENT TOOLS & Service Aids

REAMER AND SCRAPER TIP

Twist-proof, chrome plated steel to shed solder. Printed circuit type solder aid tool with straight tip. Reamer and scraper tips for scraping joints or reaming out lug holes. Both ends are insulated from one another.


No. 9069 Reamer and Scraper..... Std. Pkg. 12 Net .85



BRUSH AND FORKED TIP

Chrome plated steel to shed solder. Printed circuit type solder aid tool with brush on one end, forked tip on the other. Forked tip is for twisting or holding wires. Both ends are insulated from one another.

No. 9073 Brush and Forked Tip..... Std. Pkg. 12 Net .92



BRUSH AND SCRAPER TIP

Printed Circuit type solder aid with brush on one end for dusting away excess solder chips, and scraper tip for scraping joints. Both ends are insulated from one another.

No. 9074 Brush and Scraper Tip..... Std. Pkg. 12 Net .92



STRAIGHT PROBE AND FORKED TIP

Prevents solder from sticking. A must for the serviceman's bench or tool kit. Made from heat-treated tool steel, nickel plated to eliminate solder from sticking. Forked tip on one end, straight probe on the other.


GC No. 9075 Walsco 2570 Forked and Straight Tip..... Std. Pkg. 12 Net .80



ANGLE PROBE AND FORKED TIP

Nickel plated tool steel prevents solder from sticking to tool. Forked tip on one end for twisting or holding wires, angled probe on the other end.

GC No. 9076 Walsco 2571 Forked and Angled Tip..... Std. Pkg. 12 Net .80



SPEEDEX AUTOMATIC WIRE STRIPPER

Equipped with "Trig-O-Matic" Stay-Open feature; keeps wires from being crushed.


No. For Sizes Listed Below
744 12 to 20 Wire
744-A 14 to 30 Wire
744-B 10 to 18 Wire
744-C 8 to 10 Wire
744-D 16, 18, 20, 22 Wires
744-E 14, 16, 18 Wires
744-F 10, 12, 14 Wires
744-G For No. 18 POSJ or Parallel Wire
744-H For 300 ohm TV and FM twin transmission line
744-I 10, 12, 14, 16, 18, 20, 22 Wire
744-M 10 to 20 Wire
744-N Straight Cutter Blades
Cat. No. 744..... Net \$5.93



SPEEDEX STANDARD WIRE STRIPPER

Popular inexpensive Speedex model for 90% of all stripping jobs. Blades are inter-changeable, hardened and precision ground to razor sharp edges.

No. For Sizes Listed Below
733 12 to 20 Wire
733-A 14 to 30 Wire
733-B 10 to 18 Wire
733-C 8 to 10 Wire
733-D 16, 18, 20, 22 Wires
733-E 14, 16, 18 Wires
733-F 10, 12, 14 Wires
733-G For No. 18 POSJ or Parallel Wire
733-H For 300 ohm TV and FM twin transmission line
733-I 10, 12, 14, 16, 18, 20, 22 Wire
733-M 10 to 20 Wire
733-N Straight Cutter Blades
Cat. No. 733..... Net \$4.77



SPEEDEX SPEED-O-MATIC WIRE STRIPPER

Fully automatic delayed return action to prevent crushing fine wires. The Speed-O-Matic combines the features of all Speedex Wire Strippers.

No. For Sizes Listed Below
766 12 to 20 Wire
766-A 14 to 30 Wire
766-B 10 to 18 Wire
766-C 8 to 10 Wire
766-D 16, 18, 20, 22 Wire
766-E 14, 16, 18 Wire
766-F 10, 12, 14 Wire
766-G For No. 18 POSJ or Parallel Wire
766-H For 300 ohm TV and FM twin transmission line
766-I 10, 12, 14, 16, 18, 20, 22 Wire
766-M 10 to 20 Wire
766-N Straight Cutter Blades
Cat. No. 766..... Net \$5.93



G-C TV CHASSIS SUPPORT

Prop chassis to easy working position on your bench or in the home. Simply slip on the flange of chassis, tighten thumb screws and tilt chassis to position desired.

Cat. No. 9176 Pair..... Net \$1.80





SPEEDEX WIRE STRIPPER KITS

Complete with Wire Strippers and seven different size blades in plastic box. Handy for tool box, home workshop, maintenance and production.

Cat. No. 733-K... Standard Stripper Kit... Net \$10.83
744-K... Automatic Stripper Kit... Net \$13.16
766-K... Speed-O-Matic Stripper Kit Net \$13.16

CHASSIS PUNCHES

ROUND PUNCHES



SQUARE PUNCHES

METER HOLE PUNCHES (Round) For Standard Meters



DESCRIPTION	PART NO.	GREENLEE PART NO.	PUNCH SIZE	PILOT BOLT SIZE	PILOT HOLE DRILL SIZE	NET EACH
ROUND PUNCHES	3050-R	730 1/2	1/2"	1/4"	5/16"	2.70
	3052-R	730 9/16	9/16"	1/4"	5/16"	2.70
	3062-R	730 5/8	5/8"	1/4"	3/8"	2.70
	3069-R	730 11/16	11/16"	3/8"	7/16"	2.70
	3075-R	730 3/4	3/4"	3/8"	7/16"	2.70
	3081-R	730 13/16	13/16"	3/8"	7/16"	2.70
	3087-R	730 7/8	7/8"	3/8"	7/16"	2.70
	3094-R	730 15/16	15/16"	3/8"	7/16"	3.00
	3100-R	730 1"	1"	3/8"	7/16"	3.00
	3106-R	730 1-1/16	1-1/16"	3/8"	7/16"	3.15
	3112-R	730 1-1/8	1-1/8"	3/8"	7/16"	3.15
	3116-R	730 1-5/32	1-5/32"	3/8"	7/16"	3.15
	3119-R	730 1-3/16	1-3/16"	3/8"	7/16"	3.15
	3125-R	730 1-1/4	1-1/4"	3/8"	7/16"	3.15
	3131-R	730 1-5/16	1-5/16"	3/8"	7/16"	3.75
	3137-R	730 1-3/8	1-3/8"	1/2"	9/16"	3.75
	3150-R	730 1-1/2	1-1/2"	1/2"	9/16"	4.25
	3162-R	730 1-5/8	1-5/8"	3/4"	7/8"	5.10
	3175-R	730 1-3/4	1-3/4"	3/4"	7/8"	5.85
	3187-R	730 1-7/8	1-7/8"	3/4"	7/8"	7.30
	3200-R	730 2"	2"	3/4"	7/8"	7.80
	3212-R	730 2-1/8	2-1/8"	3/4"	7/8"	8.45
	3225-R	730 2-1/4	2-1/4"	3/4"	7/8"	8.45
	3250-R	730 2-1/2	2-1/2"	3/4"	7/8"	13.75
	3275-R	730 2-3/4	2-3/4"	3/4"	7/8"	19.00
	3300-R	730 3"	3"	3/4"	7/8"	26.50
SQUARE PUNCHES	3050-S	731 1/2	1/2"	1/4"	3/8"	6.45
	3062-S	731 5/8	5/8"	3/8"	1/2"	6.35
	3075-S	731 3/4	3/4"	3/8"	1/2"	7.10
	3087-S	731 7/8	7/8"	3/8"	1/2"	8.30
	3100-S	731 1"	1"	3/8"	1/2"	8.60
	3278	730 M	2-25/32"	3/4"	7/8"	13.10

WRITE FOR CATALOG #FR-69 FOR COMPLETE LISTINGS



GC ALIGNMENT TOOLS & Service Aids



(D) WALSCO STRIP-ER-CLIP. A brand new precision tool with an exclusive safeguard that prevents accidental nicking or cutting while wires are being stripped. Strips and clips all wires ranging from 12 to 26 gauge.
Cat. No. 595X Walsco Net \$1.38
760 G.C.



HEAT SINK
Protects Transistors and Diodes when Soldering. firm grip. Aluminum will not stick to solder.
Cat. No. 9077 GC Net \$.36
2577 Walsco

ALIGNMENT TOOL FOR WESTINGHOUSE, ETC.
Especially designed to fit Westinghouse and other sets. Very thin tip for small can openings.
Cat. No. 2541 5/32" long Net \$.57

1/4" HEX I.D. NEUTRALIZING WRENCH.
Made of tough, flexible, Lo-loss plastic. If corners wear round, just trim back, 7-1/2" long, 3/8" round O.D.
Cat. No. 2503 Net \$.37

CAPACITOR AND TUNER ADJUSTING TOOL
For trimmer capacitors, sealed capacitors, and miniature L. C. Tuners. White Delrin with .050" hex head one end and screwdriver tip on the other end. Overall length 5-1/8".
Cat. No. 8605 Net \$.63



MASTER DELUXE TOOL KIT
A super-deluxe kit in a leatherette roll type case. Contains 25 tools and includes all TV alignment tools except extra long ones (over 9").
Cat. No. 8283 Net \$15.83

G-C ALIGNMENT SCREWDRIVER
Low inductance metal tip screwdriver made of Butyrate material.
5000 GC 1/4" Dia. x 6" Tool Net \$.42
2525 Walsco

COLOR TV ALIGNMENT TOOL KIT
Kit contains 5 different Hex alignment tools for all standard adjustments in Color TV. Tools packed in pocket sizer and includes extender to make each tool a long reach aligner when needed.
Part No. 8454 Net \$2.49

NEW "SLIM FIBREGLASS STICKS." New precision made Walsco Slim-Sticks are made of durable fiberglass. Completely non-metallic.
Cat. No. 2531-X Walsco 1/8" Dia. x 12 Net \$.53
8728 G.C. 1/8" Dia. x 12 Net .70
2532-X Walsco 1/8" Dia. x 16 Net .48
8729 G.C. 1/8" Dia. x 16 Net .48
2534-X Walsco 5/32" Dia. x 12 Net .72
9238 G.C. 5/32" Dia. x 12 Net .72
2535-X 5/32" Dia. x 16" Long Net .72

WALSCO "GLAS-STICKS." Precision made machined fiberglass reinforced polyester alignment screwdriver.
Cat. No. 2537 Walsco 5/32" Dia., 7" blade/Net \$.85
9291 G.C. 1.15
2538 Walsco 5/32" Dia., 14" blade 1.15

G-C ZENITH-ADMIRAL NYLON HEX WRENCH
New nylon hex wrench alignment tool for Zenith, Admiral and other sets.
Cat. No. 8606 5" wrench, 11" long Net \$.48
Cat. No. 8606-L 11" wrench, 11" long63

(N) I.F. ALIGNER TOOL. Designed for I.F. Alignment of Zenith, RCA and other similar types. Made of molded plastic 5-1/2" long.
Cat. No. 2521 Net \$.53

GC MAGNAVOX TUNING TOOL
Head for Magnavox chassis Nos. 201 and 202 and other sets. Hex wrench on both ends, one end under-cut so it will reach bottom slugs in iron coils.
Cat. No. 8284 Net \$.48

G-C TV CHANNEL TUNING TOOL
Completely insulated, non-metallic tool with long 1/8" narrow blade. Made of bone fibre.
Cat. No. 8195 7-1/4" long, 1/8" shaft dia. Net \$.72

G-C TV AND FM TUNING TOOL
Special short tool with fine recessed screwdriver top for Television and FM adjustments. Made of Butyrate
Cat. No. 8196 Net \$.42
2-1/2" long, 7/32" shaft dia.

G-C TV CORE ALIGNER
For Motorola and other sets using Stackpole or other stud type cores that are not slotted. Milled steel insert on one end, thin screwdriver blade on other end.
Cat. No. 8271 16" long, 7/32" shaft dia. Net \$.60

G-C TV I.F. OSCILLATOR ALIGNER
Specially made for I.F. and oscillator adjustments. Will fit all makes of sets—R.C.A., G.E., Philco, Admiral and others.
Cat. No. 8272 GC 6-1/2" long, 1/4" tip dia. Net \$1.20
2518 Walsco

G-C TV ALL-PURPOSE ALIGNER
Specially made for TV I.F. adjustments. Very thin spring steel tip is recessed so the tool will guide itself over the screws.
Cat. No. 8273 GC 8" long, 7/32" shaft dia. Net \$.92
2516 Walsco

G-C TV LONG REACH ALIGNER
Specially made for Admiral, Zenith, R.C.A. and other sets for adjustments of nested iron cores that are hard to reach.
Cat. No. 8274 9" long, 1/8" shaft dia. Net \$.90

G-C TV ZENITH UNIVERSAL ALIGNER
Specially designed for Zenith and other sets. Made of bone fibre and plastic handle.
Cat. No. 8275 5" long, 1/8" shaft dia., 1/4" Net \$.52

G-C TV DUPLEX ALIGNER
An all-purpose TV aligner for trimmers and I.F. transformers. Made of Butyrate material with extra thin spring steel tips.
Cat. No. 8276 6" long, 7/32" shaft dia. Net \$.52

G-C TV "SHORTY" DUPLEX ALIGNER
Specially made for trimmer and I.F. transformers where space does not permit the use of a longer tool.
Cat. No. 8277 2-1/2" long, 7/32" shaft dia. Net \$.52

G-C TV TUNING WAND
Brass insert on end reduces inductance and iron core on other end increases the inductance.
Cat. No. 8278 6" long, 7/32" shaft dia. Net \$.60

G-C TV CORE ALIGNER
Tool has a recessed steel milled slot to fit over the Stackpole and other type stud cores that are not slotted.
Cat. No. 8279 Net \$1.00
7-1/2" long, 7/32" shaft dia.

G-C "SHORTY" TV ALIGNMENT SCREW DRIVER
Only 2" long overall to adjust hard-to-get-at places under TV tubes, etc.
Cat. No. 8289 2" long, 7/32" shaft dia. Net \$.50

G-C UNIVERSAL SCREW DRIVER ALIGNER
Made of unbreakable flexible clear plastic shaft and an amber plastic handle.
Cat. No. 8290 7" long, 7/32" shaft dia. Net \$.70

G-C NEW ALL PLASTIC INSPECTION MIRROR
Use to inspect coils, resistors, sockets, etc. while the chassis is hot. No danger of shorting.
Cat. No. 5090-P 7-7/8" Plastic Mirror Net \$.38

G-C K-TRAN TOOL
Specially designed for K-tran and I.F. transformers. Butyrate material, screwdriver on both ends.
Cat. No. 5097 Net \$.78
6" long, 5/32" Delrin tip, 1/8" metal tip

G-C SHORTY ALIGNMENT TOOL
A convenient tool for hard-to-get-at places. Has 3/16" shaft, 2" length. Over 3/16" shaft, 2" length. Overall length of tool 4".
Cat. No. 9298 Net \$.48

GC ALIGNMENT TOOLS

GC ALIGNMENT TOOLS

GC ALIGNMENT TOOLS

G-C NEW NYLON TV LONG REACH ALIGNER
Long-reach TV aligner with insulated metal shaft and nylon tip. 12-1/4" long overall, .195 Shaft Dia.
Cat. No. 8607 GC TV Tool Net \$1.60
2523 Walsco

G-C CONTACT BURNISHING TOOL KIT
A complete kit for the servicing of relays, switches, etc. where critical contact points must be kept clean.
Cat. No. 9339 Net \$.95

G-C TV 2-IN-1 LONG-REACH DUPLEX ALIGNER
Made of clear, unbreakable plastic material. Ends colored red and blue for size identification. Tips are made of spring steel recessed for easy location of stud.
Cat. No. 8721 9" long, 7/32" Shaft Dia. Net \$.78
8722 7" long, 7/32" Shaft Dia. Net \$.67
Walsco 2519 7" long, 7/32" Shaft Dia. Net \$.67

DELUXE ALIGNMENT TOOL KIT
Case is made of durable leatherette for long service. Steel tips are extra thin and of the best grade hardened spring steel. Kit contains one each of 16 tools.
Cat. No. 8280 Net \$10.30

NEW G-C K-TRAN TELEVISION ALIGNER
Specially made for K-Trans I.F. Transformer tuner slugs. Precision made of bone fibre.
Cat. No. 8727 6-1/4" long, 5/32" Tip Dia. Net \$.65

TV LONG REACH ALIGNMENT SCREWDRIVER
Made of bone fibre, extra thin 1/8" diameter screw drivers for adjustment of TV receivers. Screw driver tip on both ends—can be re-ground.
Cat. No. 8728A 1/8" x 7" long Net \$.43
8728 1/8" x 12" long53
8729 1/8" x 16" long70

G-C LONG ARM TV TOOL PLASTIC SHAFT
Extra-long-reach alignment tool for Zenith sets and others where adjustments are hard to get at. Tool is 18" long overall, 18" long, 7/32" Shaft Diameter.
Cat. No. 8821 TV Tool (Type A) Net \$1.00
8896 TV Tool (Type B) 1.00
8897 TV Tool (Type C) 1.00

ZENITH-RCA ALIGNING TOOL WITH HANDLE
For better grip and easier adjustments. Length is 2-1/2" with a 1-1/2" shaft length, 7/32" diameter blade with recessed slot in blade end.
Cat. No. 9051 GC Net \$.58
2527 Walsco

G-C STANDARD COIL SLUG TUNER ADJUSTING TOOL
A new special slug tuning tool for adjusting Standard Tuners, etc. Completely insulated, 7-1/2" long, 1/4" shaft diameter, shaft ends .170 diameter.
Cat. No. 9087 Net \$.75

K-TRAN ALIGNMENT TOOL. This tough, double-use tool is machined at one end to fit the slots on all K-Trans miniature I.F. transformers.
Cat. No. 2515 Net \$.60

G-C ADJUSTABLE SHORTY
Recessed tip TV alignment tool. Adjustable from 1-1/4" to 2" in length, for hard-to-get-at places.
Cat. No. 9090 Net \$.65

G-C DOUBLE END IRON CORE TOOL
All nylon hex tool for cores with .125 hex opening. One end of tool undercut so it can reach the bottom slug in coils without turning the top slug.
Cat. No. 9091 GC 5" long Net \$.48
Walsco 2542 11" long Net .70
9091-L GC 11" long Net .70

G-C PRINT KOTE SOLDER AID PROBE
Handy, fine point probe specially designed to aid in probing and soldering printed circuits.
Cat. No. 9093 GC 8" Length Net \$1.00
2530 Walsco

STUBBY STUD DRIVER. The only screwdriver only 2" long overall. Fits No. 6 studs.
Cat. No. 2517 Net \$.60

G-C PRINT KOTE BRUSH AND SCRAPER
Fine Stainless Steel brush and hardened steel scraper are required to scrape and clean the Silicone Resin from printed circuits.
Cat. No. 9094 8" Length Net \$.98

G-C SLUG RETRIEVER TOOL
A precision made tool with hardened steel tips made for removing lost TV tuner slugs in Standard Coil tuners. Ends ground to fit standard coils.
Cat. No. 9096 12" Retriever Net \$2.70
9097 15" Retriever 3.25

G-C MINI HOLD SCREWDRIVERS
Designed with exclusive "Wedge Action" for gripping of tiny screws. (Nos. 0, 1, 2, 3 and No. 8 set screws and smaller) Special short length (2-7/8" when in use).
Cat. No. 9346 GC 3-1/4" long, 2-7/8" in use Net \$2.14
2568 Walsco 9347 GC 7" long, 6-3/4" in use 2.40
2569 Walsco

G-C RCA TV ALIGNMENT TOOL
Double end nylon tool with a recessed metal tip on one end and a plastic slot on the other end.
Cat. No. 9150 6" Length Net \$.93

G-C SCREW STARTER SCREW DRIVER
A handy screw holding screwdriver that will start screws in hard-to-get-at places. Holds the screw securely while it starts it.
Cat. No. 9148 12" Net \$2.75

G-C DUAL NUT STARTER
New tool that holds and starts hex nuts or hex head screws in hard-to-get-at places. Fits 3/4" and 5/16" hex nuts. Pat. 2664021.
Cat. No. 9147 Net \$2.85

(F) "SLUG SAVER" TUNER TOOL. New patented tool for aligning "Standard Coil" front ends. Prevents "loosing" slugs, thru ingenious "step" design.
Cat. No. 2528 7-1/2" long Net \$.75

G-C TV AND AUTO RADIO WRENCH
Special female slotted wrench to remove screws and stud screws from auto radios and backs of TV sets, etc.
Cat. No. 9211 Net \$1.20

G-C FIBREGLASS SCREWDRIVER
Gives full protection on hot chassis when adjusting high potentials. For close-up hard-to-reach places.
Cat. No. 9291 7" Net \$.85

G-C NYLON HEX TOOLS
For adjusting iron cores inside mounted chassis, and tuner adjustment of iron and brass slugs with hex heads. Has .100" hex and 5/32" handle.
Cat. No. 9295 GC 11" x .100" Hex Net \$.63
2544 Walsco 9296 GC 11" x .075" Hex63
2545 Walsco 9297 GC 11" x .075" Hex63
2547 Walsco

WRITE FOR CATALOG #FR-69 FOR COMPLETE LISTINGS